

(19)



Europäisches Patentamt

Euröpan Patent Office

Office européen des brevets



(11)

EP 0 913 272 A2

(12)

## EUROPEAN PATENT APPLICATION

(43) Date of publication:  
06.05.1999 Bulletin 1999/18

(51) Int Cl.<sup>6</sup>: B44C 3/12, B44C 1/28

(21) Application number: 98830622.1

(22) Date of filing: 19.10.1998

(84) Designated Contracting States:  
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE  
Designated Extension States:  
AL LT LV MK RO SI

(72) Inventors:  
• Alè, Camilo  
Tanger (MA)  
• Alè, Josè Dino  
Tanger (MA)

(30) Priority: 29.10.1997 IT FI970239

(74) Representative: Martini, Lazzaro  
Studio Brevetti Ing. Dr. Lazzaro Martini s.r.l.  
Via dei Rustici 5  
50122 Firenze (IT)

(71) Applicants:  
• Alè, Camilo  
Tanger (MA)  
• Alè, Josè Dino  
Tanger (MA)

### (54) Assembly unit for a set of mosaic tesserae

(57) A package of products for mosaic handworks, especially for lists of mosaic tesserae and the like, made up of a lower support element (3) on which the tesserae (2) of a list are laid and provided with edges (30) acting

as guiding means for the list, and of a transparent upper element (4) for joining and covering the tesserae which is provided with a retaining edge (40) and with resolvable adhesive means for its association to the tesserae (2) and possibly to the support element (3).




Fig. 2

rif. GLP. L 2 - 1 2 2 7

EP 0 913 272 A2

## Description

[0001] The present invention refers to a package of products for mosaic handworks and, in particular, to a package of lists for mosaic tesserae and the like, for example, tiles, marbles, frets, arrays of tesserae, etc.

[0002] In the sector of the mosaic art, some work patterns, which used to be completed during the laying stage, are currently prepared prior to this stage.

In practice, the tesserae (or the other similar elements that make up a pattern, an ornament, etc.) are orderly grouped into lists of established dimensions and kept united by strips of opaque paper glued on the exposed or upper face of the tesserae.

[0003] Upon their disposition into place, such lists must be fixed on the surfaces to be coated, the latter being suitably treated with a binding agent. This operation may prove difficult to make and give rise to imperfections in the work because of the lack of a support able to guide the tesserae at the bottom and also because the strips, which keep the list of tesserae united, make it impossible to catch sight of the underlying tesserae.

[0004] The above indicated drawbacks may, therefore, contribute to deform, during the laying stage, the pattern previously composed with the tesserae, and/or induce errors in the junctions between the various portions of a given pattern.

[0005] The present invention overcomes the above problems by providing a package of products for mosaic handworks, especially a package of lists for mosaic tesserae and the like, made up of a lower support and guide element and of an upper element for retaining and covering the tesserae.

[0006] This result has been achieved, according to the invention, by providing a package for lists of mosaic tesserae and the like having the features indicated in the characterizing part of claim 1. Further characteristics being set forth in the dependent claims.

[0007] The advantages deriving from the present invention include the possibility of maintaining the integrity of the pattern formed by the tesserae of each list and, at the same time, of accurately and easily joining the pattern portion relevant to each list of tesserae with the portions of pattern adjacent thereto.

[0008] These and other advantages and characteristics of the invention will be best understood by anyone skilled in the art from a reading of the following description in conjunction with the attached drawings given as a practical exemplification of the invention, but not to be considered in a limitative sense, wherein:

- Figs. 1, 2, 3, 4, 5 represent, in different scales, an embodiment of the present invention illustrated according to possible sequential laying stages, respectively, in top perspective view (Fig. 1), in side perspective view (Fig. 2), in top perspective view (Fig. 3), in plan view from above (Fig. 4) and in top perspective view (Fig. 5).

[0009] With reference to the drawings of the attached figures which, as mentioned above, are just an exemplary embodiment of the invention, a package (1) for a list of mosaic tesserae (2) comprises a lower support element (3) and an upper element (4) for retaining and covering the tesserae.

The lower support element (3) may be made and/or shaped in different ways. For example, it may be made of paper, cardboard, corrugated board, plastics material, metal sheet, etc., and may be more or less rigid. Moreover, the support element (3) is advantageously provided with peripheral raised edges (30) able to define, at least partially, a frame for retaining the supported list of tesserae (2). The height of such edges (30) will correspond to the thickness of the tesserae (2). One function of said support element (3) is to support the tesserae (2) to allow them to be laid in place more suitably. Moreover, the support element (3) allows a significant improvement in the packing, storage and transportation of a number of the same lists.

The upper covering element (4) holds and covers the upper surface of the tesserae (2) and results restrained by glueing (or other technically equivalent means) thereto. The upper covering element (4) may be made of self-stick paper or plastics, or being spread with adhesive material, and is advantageously of transparent material enabling to catch sight of the tesserae (2) being covered up.

The upper covering element (4) may be extended, as illustrated in the figures, over a surface slightly larger than the list of tesserae (2), so as to define a free edge or tab (40) making up a hold for manually removing the list from its support and subsequently detaching the covering element (4) from the list of tesserae (2) when the latter are put in place. The tab (40) illustrated in the attached drawings extends over a length substantially equal to the whole width of the package (1); the tab (40) being possibly shaped and/or constructed in different ways, for example in the form of a holding element separated from the covering element (4) but associated thereto.

[0010] The package may advantageously consist of an assembly in which the two elements for supporting (3) and covering (4) the tesserae result mutually engaged.

[0011] The procedure that can be followed in order to lay in place the tesserae contained in the package (1) is the one illustrated by way of example in the attached figures, starting with Fig. 1 and then referring to the others in progressive order. As a first operation (Fig. 1), the covering element (4) is removed from the rest of the package (1) only in correspondence of the opening side (5) by lifting up the tab (40) and thereby uncovering the package (1) on such side (5).

[0012] Thereafter, by using a cutting tool (6) partially shown in Fig. 1, the two elements (3) and (4) are separated from the package (1) by making a cut on the remaining three sides (7, 8, 9).

At this point, the list of tesserae (2) remains engaged only to the covering element (4) and can be transferred onto the surface (10) to be coated and on which the glue or other binder has been predisposed.

[0013] Such operation is performed either by holding and pulling the tab of the covering element, thereby making the same list sliding along the support element (3) and then laying the list of tesserae (2) on the surface (10) to be coated, or, after having pulled out a portion of the support list, by pressing the latter onto the surface to be coated and, afterwards, while withdrawing the support (3) with one hand, progressively exerting a pressure with the other hand on the list thus freed from the support.

[0014] Said sliding can be made easier thanks to the support frames (7) and (9) which are disposed opposite to each other to define guide means.

Once the list of tesserae (2) is laid on the binder and the time for the necessary adhesion is elapsed, it is possible to separate the covering element (4) by exerting a draw through the tab (40) in a way similar to that illustrated in Fig. 5.




[0015] According to a further embodiment of the present invention, said element for joining and covering the tesserae (2) is apt to be associated to the exposed face of same tesserae without engaging the support element (3), and it may be of a shape and dimensions substantially corresponding to those of the list defined by the assembly of tesserae (2). The list, with the thus joined tesserae (2) is able to be engaged with the support element (3) by means of a plastics sheet or the like - for example, a film of transparent, thermoshrinking plastics material known per se - intended to wrap up the whole and be removed upon the laying of the handwork.

ment (4) from the list of tesserae (2).

4. Package (1) according to claim 1, characterized in that said covering element (4) develops to an extent substantially equal to the surface of said list of tesserae (2) and is connected over the whole perimeter (5, 7, 8, 9) to said support element (3).
5. Package (1) according to claim 1, characterized in that said covering element (4) fully wraps up and encloses the list of tesserae (2) and the support element (3).
6. Package (1) according to claim 1, characterized in that said support element (3) exhibits peripheral raised edges (30) apt to contain the tesserae (2) laterally.
7. Package (1) according to claim 1, characterized in that said raised edges (30) are provided at least in correspondence of two opposite sides (7, 9) so as to define two guides for sliding said list of tesserae (2) on said support (3).

## Claims

1. Package of products for mosaic handworks, in particular for lists of mosaic tesserae (2) and the like, characterized in that it comprises a lower support element (3), on which the tesserae (2) of a list are laid, and an upper element (4) for joining and covering the tesserae (2) which can be removably associated to the exposed face of tesserae (2) and possibly also to the element (3) which support the same tesserae.
2. Package (1) according to claim 1, characterized in that said upper covering element (4) is made of transparent material.
3. Package (1) according to claim 1, characterized in that said upper covering element (4) develops, in correspondence of a side (5) of said list of tesserae (2), beyond said side for such an extent as to define a hold flap or tab (40) allowing the removal of the support element (3) and of the upper covering ele-






Fig. 4





Fig. 5

**THIS PAGE BLANK (USPTO)**



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) **EP 0 913 272 A3**

(12)

## EUROPEAN PATENT APPLICATION

(88) Date of publication A3:  
22.11.2000 Bulletin 2000/47

(51) Int Cl.7: B44C 3/12, B44C 1/28

(43) Date of publication A2:  
06.05.1999 Bulletin 1999/18

(21) Application number: 98830622.1

(22) Date of filing: 19.10.1998

(84) Designated Contracting States:  
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE  
Designated Extension States:  
AL LT LV MK RO SI

(72) Inventors:  
• Alè, Camilo  
Tanger (MA)  
• Alè, Josè Dino  
Tanger (MA)

(30) Priority: 29.10.1997 IT FI970239


(74) Representative: Martini, Lazzaro  
Studio Brevetti Ing. Dr. Lazzaro Martini s.r.l.  
Via dei Rustici 5  
50122 Firenze (IT)

(71) Applicants:  
• Alè, Camilo  
Tanger (MA)  
• Alè, Josè Dino  
Tanger (MA)

(54) **Assembly unit for a set of mosaic tesserae**

(57) A package of products for mosaic handworks, especially for lists of mosaic tesserae and the like, made up of a lower support element (3) on which the tesserae (2) of a list are laid and provided with edges (30) acting

as guiding means for the list, and of a transparent upper element (4) for joining and covering the tesserae which is provided with a retaining edge (40) and with resolvable adhesive means for its association to the tesserae (2) and possibly to the support element (3).



**Fig. 2**

EP 0 913 272 A3



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 98 83 0622

| DOCUMENTS CONSIDERED TO BE RELEVANT  |   |  |   |
|--|---|--|---|
| Category   | Citation of document with indication, where appropriate, of relevant passages                                     | Relevant to claim  | CLASSIFICATION OF THE APPLICATION (Int.Clg) |
| X  | US 5 445 696 A (KRAWCZYK MARGARET M)<br>29 August 1995 (1995-08-29)<br>* column 2, line 67 - column 4, line 26 *  | 1-3  | B44C3/12<br>B44C1/28                        |
| X  | US 5 252 166 A (KRAWCZYK MARGARET M)<br>12 October 1993 (1993-10-12)<br>* column 2, line 65 - column 5, line 47 * | 1  |   |
|  |   |  | TECHNICAL FIELDS SEARCHED (Int.Clg)         |
|  |   |  | B44C  |
| The present search report has been drawn up for all claims   |   |  |   |
| Place of search<br><b>THE HAGUE</b>  |   | Date of completion of the search<br><b>28 September 2000</b> | Examiner<br><b>Herrmann, J</b>              |
| <p><b>CATEGORY OF CITED DOCUMENTS</b></p> <p>X : particularly relevant if taken alone<br/> Y : particularly relevant if combined with another document of the same category<br/> A : technological background<br/> O : non-written disclosure<br/> P : intermediate document</p> <p>T : theory or principle underlying the invention<br/> E : earlier patent document, but published on, or after the filing date<br/> D : document cited in the application<br/> L : document cited for other reasons<br/> &amp; : member of the same patent family, corresponding document</p> |   |  |   |

EPO FORM 1503 03.02 (P/C/C1)



**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 83 0622

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

28-09-2000

| Patent document<br>cited in search report | Publication<br>date | Patent family<br>member(s) | Publication<br>date |
|---|---------------------|----------------------------|---------------------|
| US 5445696 A                              | 29-08-1995          | US 5252166 A               | 12-10-1993          |
| US 5252166 A                              | 12-10-1993          | US 5445696 A               | 29-08-1995          |

EPO FORM P459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**THIS PAGE BLANK (USPTO)**